Instructions

Massif AV39-AV40
Anderssen & Voll
2024



Please read these instructions carefully and retain them for future reference to ensure the product is used correctly. For your own safety, please study each step of this instruction manual first. &Tradition is not responsible for any faults or damage caused by not following these instructions correctly. Do not modify this product in any way.
If you have any questions or comments, please do not hesitate to contact us by mail on: info@andtradition.com

&Tradition®

Massif AV39-AV40
Anderssen & Voll
2024

A



B

C



D

E

Safety precautions

- Dispose of plastic bag from packaging immediately and keep out of reach of children.
- The Stool is only intended for interior use.

Contents

A Base
B Column
C Seat
D Screws x 4
E Screws x 4

Tools needed

- Allen key

Cleaning instructions
Powder coated or chromed metal

It is recommended only to use a soft dry cloth to clean powder coated surfaces but in case more severe cleaning is necessary, a soft cloth wrung in lukewarm water can be carefully applied. Always dry immediately after cleaning with a soft dry cloth. Avoid using abrasive cleaning agents as this may permanently damage the surface.

Lacquered wood

For daily care it is recommended to dust the furniture with a soft cloth. Lacquered wood can be cleaned with a soft cloth wrung in a mild solution of lukewarm water and a universal pH neautral cleaning detergent.
Always follow the wood grains and always dry with a soft dry cloth immediately after cleaning. Avoid use of abrasive cleaning agents as this will damage the surface of the lacquered wood.

Please follow steps 1 to 2 to assemble the product.

Step 1 / 2

Place the seat (C) upside-down on a soft flat surface.
Screw in the Screws (E) into the seat through the rotating metal plate on the Column (B).



Step 2 / 2

Place the Base (A) carefully on top of the column and align the holes in the base with the holes in the wooden column and screw in the Screws (D).



andtradition.com