

# HAY X LIBERTY MATIN FLUSH MOUNT

PRODUCT FACT SHEET



## HAY X LIBERTY MATIN FLUSH MOUNT


DESIGN BY INGA SEMPÉ, 2024

Featuring Liberty's distinctive floral print on the Matin Shade's classic pleated construction, the Liberty Matin Flush Mount Lamp brings together two iconic designs in a poetic and timeless expression. The elegant shade is combined with a steel bracket for mounting onto the wall or ceiling, creating a functional yet visually delicate flush-mounted lamp. The lamp brings an inviting atmosphere to most rooms in the home and comes in different sizes and selected Liberty prints.

### HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- A family of contemporary table, ceiling and wall lamps.
- Classic and contemporary lamp with a steel bracket for mounting onto walls or ceilings and pleated cotton shade in different colours.
- Shares the same shades as the table lamp variants and can easily be changed.
- CE approved.
- Available in two sizes and suitable for both private and office environments.

### DIMENSIONS



MATIN FLUSH MOUNT 380  
 WIDTH 38 CM  
 DEPTH 38 CM  
 HEIGHT 16 CM

MATIN FLUSH MOUNT 500  
 WIDTH 50 CM  
 DEPTH 50 CM  
 HEIGHT 20 CM

### MATERIALS

#### SHADE






Cotton fabric laminated to a PVC sheet.  
 Black top screw in injection moulded ABS.

#### CEILING/WALL BRACKET

Sheet metal with white wet-spray finish.

### COLOUR & FINISH

Please note that the colour codes are indicative.

		SIZE	
		Ø300	Ø380
SHADE COLOUR			
LIBERTY MITSU			
LIBERTY BETSY ANN			●
LIBERTY ED			●
LIBERTY ROS			
LIBERTY CHERRY DROP			

## TECHNICAL SPECIFICATIONS

RECOMMENDED LIGHT SOURCE*	DIMMABLE	POWER SUPPLY	IP	CORD	SWITCH
2 x LED E14 (A15 or B8), 5-8W (max. 8W), 500-800lm, 2700-3000K warm white	Yes**	220-240V AC at 50/60Hz	20	Integrated in the ceiling or wall	No

\*Bulbs not included.

\*\*If used in conjunction with a wall mounted dimmer and suitable LED bulb.

## TEST SPECIFICATIONS





FLUX (LUMENS), CCT (KELVIN) & CRI (1-100)

The levels will vary depending on the type of bulb used in the lamp.

## CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.

**LED**   IP20  

Tested according to the following european EN / IEC standards which relate specifically to electrical lighting products including

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

## COUNTRY OF ORIGIN

China

## DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)